## AMENDMENTS TO THE CLAIMS

- 1. (Currently Amended) A mobile subscriber network, <u>comprisingeharacterized in including</u>: a <u>subscriber information administration server that manages terminations for a plurality of circuits, comprising a circuit administration table for retaining a many-versus-one correspondence between <u>the plurality of circuits eircuit terminals</u> and a subscriber; <u>wherein the server a means for reflecting a new circuit request or a change in a network state into said circuit administration table, thereby to dynamically <u>updates update</u> said circuit administration table <u>to reflect a new circuit request or a change in a network state</u>; and <u>wherein the server updates a means for, based upon</u> said circuit administration table, <u>reflecting into to reflect a resource allocation [[to]]of</u> each circuit.</u></u>
- 2. (Currently Amended) The mobile subscriber network according to claim 1, wherein the server determines a number of circuits that a subscriber can use when the subscriber issues a new circuit request or releases a circuit in use, based on characterized in including a means for, in requesting a circuit setting by the subscriber, or in handing over the circuit in use, making a reference to a state of the other circuit circuits of the subscriber, wherein said state that is obtained from said circuit administration table, thereby to compute a circuit number or a bandwidth that said subscriber can use.
- 3. (Currently Amended) The mobile subscriber network according to claim 1, wherein the server updates a state of a circuit in characterized in including a means for calculating the circuit that is disconnected based upon the circuit administration table in a work for disconnecting the circuit that when a fixed network disconnects the circuit starts.
- 4. (Currently Amended) The mobile subscriber network according to claim 1, characterized in including a means for changing a resource allocation priority degree of [[the]]a circuit that is affected due to updating said circuit administration table.

Docket No.: U2054.0158

Docket No.: U2054.0158

5. (Currently Amended) The mobile subscriber network according to claim 1, wherein the server allocates characterized in including a means for reflecting the updating of the circuit administration table into the resource allocation to each circuit by communication with a circuitsetting means.

- 6. (Currently Amended) The mobile subscriber network according to claim 1, wherein the server allocates characterized in including a means for reflecting the updating of the circuit administration table into the resource allocation to each circuit by communication with the circuit terminaltermination equipment.
- 7. (Currently Amended) The mobile subscriber network according to claim 1, wherein the server updates characterized in including a means for retaining a service condition of the subscriber in the circuit administration table to reflect [[this]]a service condition of the subscriber into the resource allocation.
- 8. (Currently Amended) A resource administration method for a mobile subscriber network comprising a plurality of circuits, the method comprising, characterized in including the steps of: retaining information of a one-versus-many correspondence between a subscriber and circuits in the plurality of circuits a circuit with which said subscriber enters into a contract and reflecting a new circuit request or a change in a network state [[into]]in a circuit administration table, thereby [[to]] dynamically update updating said circuit administration table; and
  - allocating earrying out a resource allocation to each circuit in the plurality of circuits based upon said circuit administration table.
- 9. (Currently Amended) The resource administration method according to claim 8, characterized in including a step of, in requesting a circuit setting by the subscriber, or in

Docket No.: U2054.0158

handing over [[the]]a circuit in use, making a reference to a state of [[the]]an other circuit of said subscriber that is obtained from the circuit administration table, thereby to compute a eireuit number of circuits in the plurality or a bandwidth that said subscriber can use.

- 10. (Currently Amended) The resource administration method according to claim 8, characterized in including a step of ealeulating the updating a state of a circuit that is disconnected based upon-in said circuit administration table when in a work for disconnecting the circuit [[that]]by a fixed network-starts.
- 11. (Currently Amended) The resource administration method according to claim 8, characterized in including a step of changing a resource allocation priority degree of [[the]]a circuit that is affected due to updating said circuit administration table.
- 12. (Currently Amended) The resource administration method according to claim 8, characterized in including a step of, based upon information in the network side, updating the circuit administration table to reflect this into the resource allocation [[to]]of each circuit based upon information from the mobile subscriber network.
- 13. (Original) The resource administration method according to claim 8, characterized in including a step of, based upon information in the terminal side, updating the circuit administration table to reflect this into the resource allocation [[to]]of each circuit based upon information from a fixed network.